Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application.

Claims 1-3. (Canceled)

- 4. (Currently amended) A <u>synergistic</u> composition comprising the carboxamide (1-1) N-(3',4'-dichloro-5-fluoro-1,1'-biphenyl-2-yl)-3-(difluoromethyl)-1-methyl-1H-pyrazole-4-carboxamide and at least one <u>triazole selected from the group consisting of</u>
 - (3-3) propiconazole,
 - (3-12) epoxiconazole,
 - (3-15) prothioconazole,
 - (3-17) tebuconazole, and
 - (3-21) bitertanol,

in a ratio of 50:1 to 1:50 of carboxamide to triazole.

active compound

of formula (III)

$$\begin{array}{c|c}
R^{16} & R^{18} \\
\hline
R^{16} & A^{4} & A^{5} - R^{19} \\
\hline
R^{18} & C & C & C \\
\hline
R^{18} & C & C & C \\
\hline
R^{18} & C & C & C \\
\hline
R^{18} & C & C & C \\
\hline
R^{18} & C & C & C \\
\hline
R^{18} & C & C & C \\
\hline
R^{18} & C & C & C \\
\hline
R^{18} & C & C & C \\
\hline
R^{18} & C & C & C \\
\hline
R^{18} & C & C & C \\
\hline
R^{18} & C & C & C \\
\hline
R^{18} & C & C & C \\
\hline
R^{18} & C & C & C \\
\hline
R^{18} & C & C & C \\
\hline
R^{18} & C & C & C \\
\hline
R^{18} & C & C & C \\
\hline
R^{18} & C & C & C \\
\hline
R^{18} & C & C & C \\
\hline
R^{19} & C & C & C \\
\hline
R^{19} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{18} & C & C & C \\
\hline
R^{18} & C & C & C \\
\hline
R^{18} & C & C & C \\
\hline
R^{18} & C & C & C \\
\hline
R^{18} & C & C & C \\
\hline
R^{18} & C & C & C \\
\hline
R^{18} & C & C & C \\
\hline
R^{18} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^{10} & C & C & C \\
\hline
R^$$

wherein

Q is hydrogen or SH,

m = is 0 or 1

R¹⁶ is hydrogen, fluorine, chlorine, phenyl or 4-chlorophenoxy,

R¹⁷— is hydrogen or chlorine,

A⁴ is a direct bond, CH₂, (CH₂)₂ or O,

R¹⁸ is hydrogen, hydroxyl or cyano, or

A⁴ is * CH₂-CHR²⁰ or * CH-CR²⁰ where the bond marked with * is attached to the phenyl ring, in which case

 R^{18} and R^{20} together are CH_2 CH_2 CH_1 CH_2 CH_3)2 or CH_2 CH_3 CH_3 or CH_4 CH_3

A⁴—is N(R²⁰)—and A⁵ together with R¹⁸ and R¹⁹ is the group C-N R²¹, in which case R²⁰ and R²¹ together are the group

A⁵ is C or Si (silicon),

 $R^{19} \quad is \quad 1 \text{-cyclopropylethyl}, \quad 1 \text{-chlorocyclopropyl}, \quad C_1 \text{-} C_4 \text{-alkyl}, \quad C_1 \text{-} C_6 \text{-} C_6 \text{-} C_7 \text{-} C_8 \text{$ hydroxyalkyl, C₁-C₂-alkylcarbonyl, C₁-C₂-haloalkoxy-C₁-C₂-alkyl, trimethylsilyl-C1-C2-alkyl, monofluorophenyl or phenyl, or

R¹⁸-and R¹⁹-together are O-CH₂-CH(R²¹)-O--O-CH₂-CH(R²¹)-CH₂-- or O-CH(2-chlorophenyl)-, and

R²¹ is hydrogen, C₁-C₄-alkyl or bromine.

Claims 5-12. (Cancelled)

- 13. (Previously presented) A method for controlling unwanted phytopathogenic fungi, comprising applying the composition according to Claim 4 to the unwanted phytopathogenic fungi and/or their habitat.
- 14. (Previously presented) A process for preparing fungicidal compositions, comprising mixing the composition according to Claim 4 with extenders and/or surfactants.

Claims 15-16. (Cancelled)